

RATE OF USE OF RAPIDO

0.1–0.5% of the final spray solution.

Use 0.25% under normal conditions (250 ml per 100 litres of spray solution).

Rapido can be used at the maximum rate of 0.5% of the final solution.

Water Rate/Ha	Rapido at 0.1%	Rapido at 0.25%
100 Litres	100 ml	250 ml
200 Litres	200 ml	500 ml
300 Litres	300 ml	750 ml
400 Litres	400 ml	1.0 litre

MIXING

1. Half fill the spray tank with water and commence agitation.
2. Add the recommended quantity of pesticide.
3. Mix well and then add the required quantity of Rapido.
4. Continue agitation while topping up the tank and during spraying.

COMPATIBILITIES

DO NOT use Rapido with other oils or adjuvants.

Conditions of supply

Our products are high grade and we believe them suitable for use as directed, but as we cannot control their mixing, use or weather conditions during and after application, no condition or warranty is made as to their quality or fitness and no responsibility will be accepted for damage or injury arising either directly from their storage, handling or use. No liability shall be accepted for any loss or damage caused due to any person failing to use the product in accordance with the instructions for use. SAFETY DATA SHEET: A safety data sheet is available on request.



Manufactured by:
Global Adjuvants Company Ltd
Address:
20-22 Wenlock Road, London, N1 7GU, UK
Tel: +44 (0) 1480 810137
Email: office@global-adjuvants.com



Rapido

**A proprietary emulsifiable formulation of 10% organosilicone + modified vegetable oil.
For use as a spreading and wetting agent.**

SAFETY INFORMATION

- P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P103 Read label before use.
P501 Dispose of contents/container in accordance with local regulations.

To avoid risks to human health and the environment, comply with the instructions for use.

1L^e

SAFETY PRECAUTIONS

Operator Protection

Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

WEAR SUITABLE PROTECTIVE GLOVES AND FACE PROTECTION (FACE SHIELD) when handling the concentrate.

However, engineering controls may replace personal protective equipment if a COSHH assessment shows that they provide an equal or higher standard of protection.

Avoid contact with skin and eyes.

When using do not eat, drink, or smoke.

RISK OF SERIOUS DAMAGE TO EYES. In case of contact, rinse immediately with plenty of water and seek medical advice.

WASH ALL PROTECTIVE CLOTHING thoroughly after use, especially the insides of gloves.

Follow all operator protection instructions for the pesticide. Where the personal protective equipment specified on the adjuvant label is different to that specified on the pesticide label, the highest level of protective equipment must be worn.

Environmental Protection

This product may not be applied with any pesticide to be applied in or near water.

Storage and Disposal

KEEP AWAY FROM FOOD, DRINK AND ANIMAL FEEDINGSTUFFS.

KEEP OUT OF REACH OF CHILDREN.

WASH OUT CONTAINER THOROUGHLY, and dispose of safely.

KEEP IN ORIGINAL CONTAINER, tightly closed, in a safe place.

DO NOT RE-USE CONTAINER for any purpose.

DIRECTIONS FOR USE

IMPORTANT: This information is approved as part of the Product Label. All instructions within this section must be read carefully in order to obtain safe and successful use of this product.

AREAS OF USE

Rapido is a blend of adjuvants designed to enhance the coverage and uptake of pesticides, especially fungicides.

Rapido can be used with all approved pesticides for use in agriculture, horticulture, forestry and industrial uses as specified.